## Marra Forni Spiral Mixers


Marra Forni spiral mixers are the ideal machine for restaurants, confectionaries, bakeries and domestic use. Take advantage of our range of sizes, from 5 to 60 kg. Although forked mixers are superior for high-hydration doughs, spiral mixers allow you to mix wider varieties of dough. Both mixers produce better gluten development due to a lack of heat, but spiral mixers cut your mixing time in half.


## **QUICK SPECS**


Marra Spiral Mixers						A x C x B*
Model	Knead Capacity	Flour Cap.	Bowl Cap.	Weight (kg/lb.)	Motor Pwr.	Dimensions(in.)
IM5M	5 kg / 11 lbs.	7 lbs.	7 qt.	33 / 73	.5 hp	21 x 10 x 21
IM8MI	8 kg / 18 lbs.	11 lbs.	11 qt.	36 / 79	.5 hp	22 x 11 x 22
IM12M	12 kg / 27 lbs.	18 lbs.	16 qt.	60 / 132	1.2 hp	27 x 14 x 27
IM12D	12 kg / 27 lbs.	18 lbs.	16 qt.	60 / 132	.8 / 1.1 hp	27 x 14 x 27
IM18M	18 kg / 40 lbs.	27 lbs.	21 qt.	65 / 143	1.2 hp	27 x 15 x 27
IM18D	18 kg / 40 lbs.	27 lbs.	21 qt.	65 / 143	.8 / 1.1 hp	27 x 15 x 27
IM25M	25 kg / 55 lbs.	37 lbs.	35 qt.	95 / 209	1.5 hp	<b>3</b> 0 x 17 x 30
IM25D	25 kg / 55 lbs.	37 lbs.	35 qt.	95 / 209	1.3 / 1.4 hp	30 x 17 x 30
IM38M	38 kg / 84 lbs.	55 lbs.	42 qt.	105 / 232	2 hp	32 x 19 x 30
IM38D	38 kg / 84 lbs.	55 lbs.	42 qt.	105 / 232	2 / 3 hp	32 x 19 x 30
IM44M	44 kg / 97 lbs.	66 lbs.	53 qt.	110 / 243	2 hp	33 x 21 x 30
IM44D	44 kg / 97 lbs.	66 lbs.	53 qt.	110 / 243	2 / 3 hp	33 x 21 x 30
IM60M	60 kg / 132 lbs.	88 lbs.	80 qt.	250 / 551	3.5 hp	40 x 23 x 40
IM60D	60 kg / 132 lbs.	88 lbs.	80 qt.	250 / 551	3.5 / 4.6 hp	40 x 23 x 40

\*Dimensions rounded to the nearest inch.

Red Outline in illustration indicates optional removable bowl and lid, available on models 12-44.







## TECHNICAL SPECIFICATIONS

- Models from 12 to 44 kg are supplied with wheels and brakes.
- Stainless steel frame, bowl, fork, protection cover, and tool-holder shaft.
- Standard timer from 12 to 60 kg models.
- Rotating parts are assembled on ball bearings.
- · Chain drive system uses a geared motor.
- Electric system and safety devices meet European regulations.

